

10/725,352

**RECEIVED  
CENTRAL FAX CENTER****OCT 31 2007****AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**LISTING OF CLAIMS**

1. (Currently Amended) A method of authoring and executing an individualized language business rule, the method comprising:

creating at least one individualized language resource, said at least one individualized language resource being mapped onto at least one executable object;

creating at least one individualized language rule referencing at least one of said individualized language resource, where said creating comprises:

creating at least one individualized rule template;

creating at least one individualized rule from said at least one individualized rule template, based on user-selected inputs and outputs to the individualized rule template, the user-selected inputs and outputs being selected by the user from rule set input and output groups, respectively; and

scoping contents a vocabulary of the rule set input and output groups, which form groups of choices available to the user for building the individualized rule, in accordance with one or more choices made by the user;

organizing said at least one individualized language resource and said at least one individualized language rule into at least one individualized language rule set; and

transforming said at least one individualized language rule into computer executable format.

2. (Original) The method of claim 1, wherein creating at least one individualized language rule referencing at least one of said individualized language resource further comprises preventing a syntactically incorrect individualized language statement from being authored.

10/725,352

3. (Original) The method of claim 1, further comprising deploying said at least one transformed executable to a runtime environment and executing said at least one transformed individualized language rule.

4. (Original) The method of claim 3, further comprising executing at least one non-individualized language rule.

5. (Original) The method of claim 3, further comprising coordinating and cooperating by a runtime engine with other rules engines in a runtime environment.

6. – 8. (Cancelled)

9. (Currently Amended) The method of claim [[7]] 1, further comprising transforming said at least one of an individualized language resource, an individualized language rule, an individualized rule template, and individualized language rule set into a standardized format.

10. (Original) The method of claim 9, wherein the at least one individualized language rule set influences at least one of application behavior and application state.

11. (Original) The method of claim 10, further comprising directly or indirectly linking an application to an execution of at least one individualized language rule set.

12. (Original) The method of claim 11, further comprising creating a type-safe linkage between an application and said at least one individualized language rule set.

13. (Original) The method of claim 12, further comprising deploying said type-safe linkage in a runtime environment.

14. (Original) The method of claim 13, further comprising finding, updating and

10/725,352

deleting an item contained within said standardized format.

15. (Original) The method of claim 12, further comprising employing said type-safe linkage to select said at least one individualized rule set based on externalized criteria.

16. (Original) The method of claim 12, further comprising transforming said type-safe linkage into a standardized format.

17. (Currently Amended) A system for authoring and executing an individualized language business rule, the system comprising:

means for creating at least one individualized language resource, said at least one individualized language resource being mapped onto at least one executable object;

means for creating at least one individualized language rule referencing at least one of said individualized language resource, where said creating comprises:

creating at least one individualized rule template;

creating at least one individualized rule from said at least one individualized rule template, based on user-selected inputs and outputs to the individualized rule template, the user-selected inputs and outputs being selected by the user from rule set input and output groups, respectively; and

scoping contents a vocabulary of the rule set input and output groups, which form groups of choices available to the user for building the individualized rule, in accordance with one or more choices made by the user;

means for organizing said at least one individualized language resource and said at least one individualized language rule into at least one individualized language rule set; and

means for transforming said at least one individualized language rule into computer executable format.

18. (Original) The system of claim 17, wherein the means for creating at least one

10/725,352

individualized language rule referencing at least one of said individualized language resource further comprises means for preventing a syntactically incorrect individualized language statement from being authored.

19. (Original) The system of claim 17, further comprising means for deploying said at least one transformed executable to a runtime environment and executing said at least one transformed individualized language rule.

20. (Original) The system of claim 19, further comprising means for executing at least one non-individualized language rule.

21. (Original) The system of claim 19, further comprising means for coordinating and cooperating by a runtime engine with other rules engines in a runtime environment.

22. – 23. (Cancelled)

24. (Currently Amended) A computer-readable media for authoring and executing an individualized language business rule, which when executed by a processor performs the steps of:

creating at least one individualized language resource, said at least one individualized language resource being mapped onto at least one executable object;

creating at least one individualized language rule referencing at least one of said individualized language resource, where said creating comprises:

creating at least one individualized rule template;

creating at least one individualized rule from said at least one individualized rule template, based on user-selected inputs and outputs to the individualized rule template, the user-selected inputs and outputs being selected by the user from rule set input and output groups, respectively; and

scoping ~~contents~~ a vocabulary of the rule set input and output groups, which form groups of choices available to the user for building the individualized

10/725,352

rule, in accordance with one or more choices made by the user;

organizing said at least one individualized language resource and said at least one individualized language rule into at least one individualized language rule set; and

transforming said at least one individualized language rule into computer executable format.

25. (Original) The computer-readable media of claim 24, wherein creating at least one individualized language rule referencing at least one of said individualized language resource further comprises preventing a syntactically incorrect individualized language statement from being authored.

26. (Original) The computer-readable media of claim 24, further comprising deploying said at least one transformed executable to a runtime environment and executing said at least one transformed individualized language rule.

27. (Original) The computer-readable media of claim 26, further comprising executing at least one non-individualized language rule.

28. (Original) The computer-readable media of claim 26, further comprising coordinating and cooperating by a runtime engine with other rules engines in a runtime environment.

29. – 30. (Cancelled)